

Product datasheet

Specifications



Acti9 time delay iATeT

A9C15419

⚠ Discontinued on: 01 Dec 2024

Price: 2,787.91 ZAR

⚠ To be discontinued

Main

Range	Acti9
Product or component type	Time delay auxiliary
Device short name	iATeT
[Uc] control circuit voltage	24...110 V DC impulse 24...240 V AC 50/60 Hz maintained

Complementary

Type of setting	Time delay configuration
Time delay range	2 s...10 min 2 s...10 h 6...60 s 1...10 s 6 s...1 h
Maximum output current	0.2 A holding 3 A inrush
Hold-in power consumption in VA	5 VA
Mounting mode	Fixed, on the left of TL or CT
Mounting support	DIN rail
9 mm pitches	2
Height	81 mm
Width	18 mm
Depth	60 mm
Colour	White
Overvoltage category	III
[Uimp] rated impulse withstand voltage	4 kV
[Ui] rated insulation voltage	440 V
Standards	EN/IEC 60669-2-2
Connections - terminals	Output connection: yellow clips Input connection: tunnel type terminals 2 cable(s) 2.5 mm ² flexible Input connection: tunnel type terminals 2 cable(s) 1.5 mm ² rigid
Wire stripping length	9 mm
Tightening torque	0.8 N.m
Range compatibility	Acti9 ICT Acti9 iTL

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Market segment	Small commercial Residential
Compatibility code	IATEt

Environment

IP degree of protection	IP20 conforming to IEC 60529
Ambient air temperature for operation	-20...50 °C
Ambient air temperature for storage	40...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	2.300 cm
Package 1 Length	9.000 cm
Package 1 Weight	86.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	108
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	9.789 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

SCIP Number

6763a476-30bc-4d05-a4bb-93f8d65c3771

REACH Regulation

[REACH Declaration](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins